

## Thimble SS 1900



### Product information



**Design:** Pressed of profile steel. The first choice for harsh environment of the marine sector.

**Material:** Stainless steel AISI 316.

**Finish:** Polished.

Part Code	Rope Ø range mm	A mm	C mm	L mm	k mm	Weight kg/100pc	Delivery time
123100200060	2	9	5	17	1	0.2	3
123100300060	3	10	6	18	1	0.3	3
123100400060	4	11	7,4	20	1	0.5	3
123100500060	5	13	8,4	21	1	0.7	3
123100600060	6	15	10	27	2	1.2	3
123100700060	7	19	11	33	2	1.5	-
123100800060	8	22	13	38	2	2.7	3
123101000060	10	27	16	48	3	5	3

123101200060	12	29	19	53	3	6	-
123101400060	14	32	22	57	3	11	-
123101600060	16	40	24	67	3	12	-
123101800060	18	45	28	75	4	22	-
123102000060	20	52	30	80	4	32	-
123102200060	22	56	34	90	5	47	-
123102600060	26	70	40	112	6	80	-
123102800060	28	75	42	120	6	110	-
123103200060	32	95	46	152	6	156	-
123103400060	34	100	48	160	6	176	-
123103600060	36	110	50	176	6	192	-
123103800060	38	115	56	184	8	292	-
123104000060	40	120	58	192	8	320	-
123104200060	42	150	61	240	8	364	-

# Blueprint

