



## Stainless Steel Eyebolt

### Product information



**Certificates:** As standard a report of thorough examination is supplied, also upon request a basic raw material cert and EC declaration of conformity.

**Material:** Stainless steel AISI 316

**Marking:** According to standard

**Finish:** Polished

**Standard:** DIN 580

**Safety factor:** MBL equals 3 x SWL

Part Code	WLL ton	a mm	b mm	c mm	d mm	e mm	f mm	g mm	Thread a	length e	Weight kg	Delivery time
421100010142	0.07	6	20	36	20	13	6	36	6	13	0.06	-
421100140140	0.14	8	20	36	20	13	6	36	8	13	0.06	-
421100230140	0.23	10	25	45	25	17	8	45	10	17	0.1	2
421100340140	0.34	12	30	54	30	20.5	10	53	12	20.5	0.17	2
421100490140	0.49	14	35	63	35	27	12	60	14	27	0.27	-
421100070140	0.7	16	35	63	35	27	12	62	16	27	0.28	2
421100090140	0.9	18	40	72	40	30	14	71	18	30	0.4	-
421100120140	1.2	20	40	72	40	30	14	71	20	30	0.42	-
421100150140	1.5	22	45	81	45	35	14	80	22	35	0.67	-
421100180140	1.8	24	50	90	50	36	18	90	24	36	0.83	-
421100320140	3.2	30	65	108	60	45	22	109	30	45	1.66	-
421100460140	4.6	36	75	126	70	54	26	128	36	54	2.65	-

# Blueprint

